


Combined Cycle Plant Achieves a 143% Return on Investment with a Fisher™ Diagnostic Solution

RESULTS

- Saved \$33,500, year to year, by eliminating the need for outside control valve repair services
- Saved one hour of labor per valve by using ValveLink™ software's Batch Runner for calibration
- Saved \$25,000 by using FIELDVUE™ diagnostics to avoid unnecessary repairs to turbine bypass control valves
- Saved a total of \$68,000 on one outage alone



APPLICATION

Turbine bypass control

CUSTOMER

A gas-fired, combined cycle plant

CHALLENGE

A leading power producer purchased a partially-completed, generating facility and continued its revamp. When the plant began operating, it was fired by clean-burning natural gas and producing 740 megawatts of electricity.

To maintain peak efficiency, plant personnel needed a better way to maintain a large population of control valves. A scheduled outage cost more than \$68,000, including contracted repair services. They decided to invest in an online control and monitoring system featuring Emerson equipment.

SOLUTION

During a scheduled outage, the plant's maintenance team upgraded to Fisher™ FIELDVUE™ digital valve controllers with Performance Diagnostics. They also installed a 300-tag software system that included AMS Device Manager and AMS ValveLink SNAP-ON™ with Calibration Assistant and Batch Runner.

The combination of Emerson resources enabled them to reduce costs in several areas:

- The availability of online diagnostics and real-time control valve performance data allowed the team to determine which specific control valves need to be repaired and, in many cases, why. During the outage, the site spent \$33,500 on outage services. After utilizing Emerson diagnostics, no outside services were required.

FIELDVUE™ digital valve controllers are used in combination with ValveLink™ software to monitor control valve performance. With Performance Diagnostic capabilities, the instruments provide real-time, online data that may be collected and analyzed for any signs of degradation.

- ValveLink software's Batch Runner enabled plant personnel to automatically upload the latest, HART®-enhanced device descriptor language (EDDL) to its existing FIELDVUE instruments. This tool enabled them to set up tasks and services for multiple tags and saved them an estimated hour per control valve during the outage. Batch Runner also enabled them to set up tasks and services for multiple tags without adding any additional people.
- The combination of FIELDVUE instruments and ValveLink software also helped them identify a problem on one control valve assembly as a bad I/P, which was replaced. Plant personnel avoided the \$1,400 cost of opening and inspecting the valve.
- Plant personnel completed the annual outage without contracting any repair services for turbine bypass control valves. Instead, they used Emerson diagnostic tools to analyze each control valve assembly. The diagnostic solution saved them an estimated \$25,000 (spent in 2010 on repair services).

For an initial investment of \$48,000, the plant saved more than \$68,700 during one outage alone. The Emerson equipment not only paid for itself but also delivered a 143% return on investment.



RESOURCES

Product Bulletin: ValveLink Software

<http://www.emerson.com/documents/automation/product-bulletin-valvelink-software-en-122944.pdf>

Product Bulletin: FIELDVUE DVC6200 Instruments

<http://www.emerson.com/documents/automation/product-bulletin-fieldvue-dvc6200-digital-valve-controller-en-123336.pdf>

Brochure: DVC6200 Instruments

<http://www.emerson.com/documents/automation/brochure-fisher-fieldvue-dvc6200-series-digital-valve-controller-en-125178.pdf>



<http://www.Facebook.com/FisherValves>



<http://www.YouTube.com/user/FisherControlValve>



<http://www.Twitter.com/FisherValves>



<http://www.Linkedin.com/groups/Fisher-3941826>

© 2013, 2018 Fisher Controls International LLC. All rights reserved.

Fisher, FIELDVUE, ValveLink, and SNAP-ON are marks owned by one of the companies in the Emerson Automation Solutions business unit of Emerson Electric Co. Emerson and the Emerson logo are trademarks and service marks of Emerson Electric Co. All other marks are the property of their respective owners.

The contents of this publication are presented for informational purposes only, and while every effort has been made to ensure their accuracy, nothing herein is to be construed as a warranty or guarantee, express or implied, regarding the products or services described herein or their use, performance, merchantability or fitness for a particular purpose. Individual results may vary. All sales are governed by our terms and conditions, which are available upon request. We reserve the right to modify or improve the designs or specifications of our products at any time without notice. Responsibility for proper selection, use and maintenance of any product or service remains solely with the purchaser and end user.

Emerson Automation Solutions

Marshalltown, Iowa 50158 USA
Sorocaba, 18087 Brazil
Cernay, 68700 France
Dubai, United Arab Emirates
Singapore 128461 Singapore