# **Increase Gas Production**, **Reduce Maintenance and Decrease Environmental Risks**

Complete Turn-Key Two Phase Separator System Optimized to Increase Gas Production





### **Two Phase Separator Optimization**

Regulators or backpressure control valves keep separator pressure in th best range for optimal production separation efficiency. At the same pressure relief valves provide prote by venting excess pressure, defusin dangerous conditions. With Emerso pressure transmitters, regulators, control valves and monitoring devi you'll have the ability to optimize production while improving safety environmental regulatory complian

Purpose

Separate the well f

into gas and liquid.

Feature System Integration

Feature

Separator Vessel

and Internals

ure control ressure in the	e	Control Over Pressured Gas to Flare					
the same ti ovide protec ure, defusing Vith Emerso egulators, toring devic	ime, ction g on's ces,	<b>Feature</b> Backpressure Regulator	<b>Purpose</b> Protects the separator from overpressure and exhaust excess gas to the flare.		<b>Benefit</b> Accurate back pressure control with minimized pressure buildup controls gas to the flare and reduces atmospheric emissions from safety relief valves.		
optimize ving safety and ry compliance. <b>Two Phase Se</b>		arator		<b></b> 1	INLET DIVERTER		
e the well fluid and liquid.		<b>Benefit</b> Cost-effective design, ensures separation efficiency, reduces gas carry over in the liquid and increases gas production.			GAS-LIQUID INTERFACE		
			Г				
		Sys	tem Integ	ration			
em gration	<b>Purp</b> Proce engir supp	ose ess engineering, detain neering, procurement ly the complete syste	iled t and m.	Benefit Turn-key solut performance. designed to w ensuring smo	tions ensure optimum Emerson™ components are vork in sync with each other, ooth operation and reducing		

maintenance work and cost.



#### 

# Emerson provides customized solutions utilizing proven technologies for oil and gas production.

It's essential for you to meet production targets. But to maximize gas production and yield, you need reliable and efficient separator operations. Leveraging Emerson's reliable control and measurement products, you can increase production, reduce maintenance across your wellsite and mitigate safety and environmental concerns.



Increase gas production, spend less time on maintenance, improve operator safety and minimize emissions

What if you could	Realize in-the-field improvements	With our solutions
Increase gas production	<ul> <li>Ensure separation efficiency</li> <li>Reduce gas carry over by liquid</li> <li>Minimize back pressure buildup</li> <li>Reduce gas emissions from safety relief valve</li> </ul>	<ul> <li>✓ Proven gas/liquid separation technology</li> <li>✓ Accurate back pressure / differential pressure control on gas outflow line</li> <li>✓ Accurate back pressure control to flare</li> </ul>
Spend less time on field maintenance	<ul> <li>Ensure long service life</li> <li>Reduce unplanned shutdowns</li> <li>Improve site service effectiveness</li> <li>Ensure system compatibility</li> </ul>	<ul> <li>✓ Field-proven and reliable technologies for measurement, pressure and level control</li> <li>✓ Optimized system integration</li> </ul>
Improve operator safety and minimize emissions	<ul> <li>Less time spent traveling to remote locations</li> <li>Reduce gas emissions from safety relief valve or flare</li> </ul>	<ul> <li>✓ Accurate back pressure / differential pressure control on gas outflow line</li> <li>✓ Field-proven and reliable technologies with less maintenance</li> <li>✓ Accurate back pressure control to flare</li> </ul>



Proven separator solutions that help increase gas production and reduce emissions and maintenance

#### **Separator Vessel and Internals**



- Optimized and fit-for-purpose
- equipment design • Efficient separation
- Cost-effective
- Helps increase gas production

#### **Backpressure/Differential Pressure Control Regulator**



**Pressure Reducing Regulator** 



Type MR95

Type 67D

Type 1098-63EGR Type 63EG

627 Series



- Accurate control
- High capacity Self-contained
- No bleed to atmosphere
- Robust design

• Fast response

• Robust design

• Easy maintenance

• Compact design Self-contained

• No bleed to atmosphere

• Easy maintenance



#### **Gas/Liquid Measurement and Level Control**





# D3/D4



8800



#### Rosemount 648 with Sensor and Thermowell

#### **Pneumatic Control**

- Time-tested for reliability
- Snap-acting or throttling control
- Quick performance and durability

#### **Electric Control**

- Requires no air or natural gas to operate
- No venting of process gas to atmosphere and no fugitive emissions
- Low power consumption
- Visibility from a field control system

#### Flow Measurement

- Multiple models available for accurate gas and liquid flow measurement
- Reliable performance and long service life

#### Pressure and Temperature Measurement

- Robust design for unmatched reliability and accurate pressure information
- Reliable temperature monitoring
- 4-20 HART<sup>®</sup>, WirelessHART<sup>®</sup> and Modus communication protocols

Type 67C

Type 1301F



F Series

Rosemount 3051S

Pressure Transmitter





# Increase Gas Production, Reduce Maintenance and Decrease Environmental Risks



A coal seam gas operator increased gas production and reduced maintenance and emission by using our pressure control solutions.

A shale gas operator increased gas production by using our pressure control solutions.

For further information visit www.emerson.com.

#### **Emerson Automation Solutions**

#### **Americas** T +1 800 558 5853 T +1 972 548 3574

Europe

Europe T +39 051 419 0611

Asia Pacific T +65 6777 8211

**Middle East / Africa** T +971 4811 8100

- webadmin.regulators@emerson.com
- Section Com
- Facebook.com/EmersonAutomationSolutions
- in LinkedIn.com/company/emerson-automation-solutions
- 🗾 Twitter.com/emr\_automation



D352452X012 © 2016, 2018 Emerson Process Management Regulator Technologies, Inc. All rights reserved. 10/18. The Emerson logo is a trademark and service mark of Emerson Electric Co. All other marks are the property of their prospective owners.

## EMERSON. CONSIDER IT SOLVED