


# K-BALL FIGURE 130 THREE WAY FLOATING BALL VALVES

MODEL CODE OPTIONS AND DESCRIPTIONS - NORTH AMERICA AND EUROPE ONLY







#### MODEL / SERIES

Code	Description
130SF	Series 130, Full bore
130SR	Series 130, Reduced bore

#### **FACE TO FACE**

Code	Description
00	Standard (Refer to Product Literature)
ZZ	Special

Optional Feature 1

#### SIZE

Code	Description	
0050	DN 50 / NPS 2	
0065	DN 65 / NPS 21/2	
0800	DN 80 / NPS 3	
0100	DN 100 / NPS 4	
0150	DN 150 / NPS 6	
0200	DN 200 / NPS 8	
ZZZZ	Special	

# PRESSURE RATING

Code	Description
A1	ASME 150
P2	PN 10
P3	PN 16
J3	JIS 10K
ZZ	Pressure Rating not Specified

## **END CONNECTION**

Code	Description	
R3	Flange - ASME Raised Face (RF) -	
	125 to 250 AARH	
77	Chacial	

### **BODY MATERIAL**

Code	Description
CA	Carbon Steel A216 WCB
SE	Stainless Steel A351 CF8M
ZZ	Special

# DRILLING / SCHEDULE

Code	Description	
A1	ASME 150	
P2	PN 10	
P3	PN 16	
PB	PN 10/16	
J3	JIS 10K	
ZZ	Special	

#### **BALL MATERIAL**

Code	Description
S00	Stainless Steel 316
ZZZ	Special

## K-BALL FIGURE 130 THREE WAY FLOATING BALL VALVES

## MODEL CODE OPTIONS AND DESCRIPTIONS - NORTH AMERICA AND EUROPE ONLY



#### STEM MATERIAL

JIEM MAI ENIAL		
Code	Description	
S0*	Stainless Steel 316	
U0	Stainless Steel Duplex	
U9•	Duplex UNS S31803	
SH	Stainless Steel 17-4 PH (630)	
ZZ	Special	

#### NOTE

NOTE

• U9 option code discontinued. U0 is the code now used for all grades of Duplex.

#### SEAT MATERIAL

JEAN HATERIAL			
	Code	Description	
	R0*	RPTFE	
	77	Special	

## **SEALING MATERIAL**

Code	Description	
P0*	PTFE	
ZZ	Special	

#### **FLOW PATH**

Code	Description
D	T-Port 90° Turn, Flow Plan D
Е	T-Port 90° Turn, Flow Plan E
F	T-Port 90° Turn, Flow Plan F
G	T-Port 90° Turn, Flow Plan G
Α*	L-Port 90° Turn, Flow Plan A
В	L-Port 180° Turn, Flow Plan B
Н	T-Port 180° Turn, Flow Plan H
1	T-Port 180° Turn, Flow Plan I
J	T-Port 180° Turn, Flow Plan J
K	T-Port 180° Turn, Flow Plan K
М	LL-Port 90° Turn, Flow Plan M
Ν	LL-Port 180° Turn, Flow Plan N
Z	Special

#### **OPERATOR MOUNTING TYPE**

Code	Description
I	ISO 5211

### **ACTUATION TYPE**

Code	Description
L	Default Handle / Lever

#### **OPTIONAL FEATURES**

Code	Description
NP1	Additional 316 stainless steel tag
TPZ	Special hydrostatic test report

For the full list of optional features, consult your local Emerson representative.

Consult your local Emerson representative for additional options.

\* Indicates standard configuration

Neither Emerson, Emerson Automation Solutions, nor any of their affiliated entities assumes responsibility for the selection, use or maintenance of any product. Responsibility for proper selection, use, and maintenance of any product remains solely with the purchaser and end user.

K-Ball is a mark owned by one of the companies in the Emerson Automation Solutions business unit of Emerson Electric Co. Emerson Automation Solutions, Emerson and the Emerson logo are trademarks and service marks of Emerson Electric Co. All other marks are the property of their respective owners.

The contents of this publication are presented for informational purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available upon request. We reserve the right to modify or improve the designs or specifications of such products at any time without notice.

Emerson.com/FinalControl